

# Como obter os dados através do número de um pedido via API ?

URL: [http://www.nomedoseusite.com.br/api\\_seller\\_orders.php?oID=ORDERNUMBER&action=orders\\_id](http://www.nomedoseusite.com.br/api_seller_orders.php?oID=ORDERNUMBER&action=orders_id)

Header Parameter		Format
Token		base64_encode()
Secret		base64_encode()
E-mail		base64_encode()

  

Parameter	Format	Description
oID	GET	Number of the Order ID Only number is required Format: bigint(11) * FIELD REQUIRED

## PHP Sample

```
// sample list orders id

$add_query_order = '';
if ($_GET['oID'] != '') {
    $add_query_order .= '&oID='.$_GET['oID'];
}

$url = $domain_url . '/api_seller_orders.php?action=orders_id'.$add_query_order;

$ch = curl_init($url);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);

curl_setopt($ch, CURLOPT_HTTPHEADER, array(
    'Content-Type: application/json',
    'Cache-Control: no-cache',
    'Token: ' . base64_encode($token),
    'Secret: ' . base64_encode($secret),
    'E-mail: ' . base64_encode($email),
    'Content-Length: ' . strlen($data_string))
);
```

```
$result = curl_exec($ch);  
curl_close($ch);  
  
print_r($result);  
  
// sample list orders id eof
```

#### Return Error:

code  
oID  
message

#### Return Success:

oID  
date\_purchased  
currency  
orders\_status  
last\_modified  
total  
total\_shipping  
shipping\_method  
customers\_rg  
customers\_cpf  
customers\_name  
customers\_street\_address  
customers\_number  
customers\_completion  
customers\_suburb  
customers\_city  
customers\_state  
customers\_country  
customers\_postcode  
customers\_cnpj  
customers\_ie  
customers\_company  
customers\_telephone  
customers\_telephone\_commercial  
customers\_telephone\_mobile  
customers\_skype  
delivery\_rg  
delivery\_cpf  
delivery\_name

delivery\_street\_address  
delivery\_number  
delivery\_completion  
delivery\_suburb  
delivery\_city  
delivery\_state  
delivery\_country  
delivery\_postcode  
delivery\_cnpj  
delivery\_ie  
delivery\_company  
quantity\_discount  
discount\_coupon  
custom  
products->qty  
products->name  
products->final\_price  
products->attributes->option  
products->attributes->value  
products->attributes->price\_prefix  
products->attributes->price

ID de solução único: #2453

Autor: : MFORMULA FAQ

Última atualização: 2018-08-30 22:08